

A19

(12)特許協力条約に基づいて公開された国際出願

(19) 世界知的所有権機関
国際事務局



(43) 国際公開日
2001 年 11 月 8 日 (08.11.2001)

PCT

(10) 国際公開番号
WO 01/83451 A1

(51) 国際特許分類: C07D 209/08, 307/79, 333/54, A61K 31/404, 31/343, 31/381, A61P 1/00, 3/04, 3/06, 3/10, 13/02, 25/24

(74) 代理人: 平木祐輔(HIRAKI, Yusuke); 〒105-0001 東京都港区虎ノ門一丁目17番1号 虎ノ門5森ビル3階 Tokyo (JP).

(21) 国際出願番号: PCT/JP01/03575

(22) 国際出願日: 2001 年 4 月 25 日 (25.04.2001)

(25) 国際出願の言語: 日本語

(26) 国際公開の言語: 日本語

(30) 優先権データ:
特願2000-130414 2000 年 4 月 28 日 (28.04.2000) JP

(71) 出願人 (米国を除く全ての指定国について): 旭化成株式会社 (ASAHI KASEI KABUSHIKI KAISHA) [JP/JP]; 〒530-8205 大阪府大阪市北区堂島浜一丁目2番6号 Osaka (JP).

(81) 指定国 (国内): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) 指定国 (広域): ARIPO 特許 (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), ユーラシア特許 (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), ヨーロッパ特許 (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI 特許 (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(72) 発明者: および


(75) 発明者/出願人 (米国についてのみ): 生田俊一 (IKUTA, Shunichi) [JP/JP]; 〒416-0945 静岡県富士市宮島637-11 Shizuoka (JP). 三好詩郎 (MIYOSHI, Shiro) [JP/JP]; 〒416-0946 静岡県富士市五貫島843-8 Shizuoka (JP). 小川行平 (OGAWA, Kohei) [JP/JP]; 〒411-0802 静岡県三島市東大場2-24-12 Shizuoka (JP).

添付公開書類:
— 国際調査報告書

2文字コード及び他の略語については、定期発行される各PCTガゼットの巻頭に掲載されている「コードと略語のガイダンスノート」を参照。

(54) Title: NOVEL BICYCLIC COMPOUNDS

(54) 発明の名称: 新規2環性化合物



(57) Abstract: Compounds of the general formula (I) or salts thereof (wherein R¹ is hydrogen, hydroxyl, or halogeno; R² is NHSO₂CH₃, SO₂NHCH₃, or the like; R⁵ and R⁶ are each independently hydrogen, C₁₋₆ alkyl, optionally substituted phenyl, or benzyl; X is NH, sulfur, oxygen, or methylene; Y is oxygen, NR⁷, sulfur, methylene, or a bond; and * represents an asymmetric carbon atom. The compounds are useful as preventive and therapeutic

drugs for diabetes, obesity, hyperlipidemia, digestive diseases, depression, and urinary disturbances.

[続薬有]

WO 01/83451 A1